

Calibra



A collage of blue paw prints of various sizes scattered across a white background.



- + solves the most common health problems
- + dry and wet variants
- + created by team of international experts



| | |
|---|--------------|
| DOG JOINT AND MOBILITY | 4 |
| DOG HEPATIC..... | 6 |
| DOG STRUVITE / OXALATE MANAGEMENT | 8 |
| DOG RENAL / CARDIAC..... | 10 |
| DOG DIABETES / OBESITY | 12 |
| DOG GASTROINTESTINAL AND PANCREAS..... | 16 |
| DOG HYPOALLERGENIC SKIN AND COAT SUPPORT | 18 |
| DOG COMPLETE CANNED DIETETIC FOOD FOR DOGS | 20-23 |



| | |
|---|--------------|
| CAT HYPOALLERGENIC SKIN AND COAT SUPPORT..... | 24 |
| CAT STRUVITE / OXALATE MANAGEMENT | 26 |
| CAT RENAL / CARDIAC..... | 28 |
| CAT DIABETES / OBESITY | 30 |
| CAT GASTROINTESTINAL AND PANCREAS..... | 32 |
| DOG COMPLETE CANNED DIETETIC FOOD FOR CATS | 34-37 |



DOG JOINT AND MOBILITY

Complete canine dietetic food

- algae - unique reliable & sustainable source of high quality Omega 3's
- strong combination of chondroprotectives in high concentration
- chicken & turkey formula enriched with eggs & collagen

Intended use

- Support of the metabolism of joints in the case of osteoarthritis

Indications

- osteoarthritis, arthrosis
- dysplasia of joints
- recovery after orthopedic surgery

Contraindications

- Renal insufficiency
- Hepatic insufficiency
- Pancreatitis

Composition

chicken (20 %), rice, oat, turkey (15 %), chicken fat (5 %), linseed, dried apples, eggs (3 %), salmon oil (3 %), brewer's yeast, hydrolysed chicken liver, collagen, algae (*Schizochytrium limacinum*), herbal & fruit extract (300 mg/kg – rosemary, grapes, turmeric, citrus, cloves), glucosamine sulphate (1 300 mg/kg), chondroitin sulphate (1 000 mg/kg), mannan-oligosaccharides (150 mg/kg), methyl sulphonyl methane (100 mg/kg), fructo-oligosaccharides (100 mg/kg), *yucca schidigera* extract (100 mg/kg), *boswellia* (50 mg/kg).

DOG JOINT AND MOBILITY

Complete canine dietetic food



Analytical constituents:

| | |
|-------------------|-----------|
| crude protein | 27 % |
| fat content | 15 % |
| crude fibers | 3 % |
| crude ash | 5 % |
| omega 3 | 3.2 % |
| omega 6 | 2.1 % |
| calcium | 1.2 % |
| phosphorus | 0.9 % |
| sodium | 0.3 % |
| magnesium | 0.1% |
| EPA | 0.35 % |
| DHA | 0.55 % |
| vitamin E - total | 400 mg/kg |

Additives per 1 kg

| | |
|---|------------------------------------|
| Vitamins: | |
| vitamin A | 20 000 I.U. |
| vitamin D3 | 1 500 I.U. |
| vitamin E (α-tocopherol) (3a700) | 400 mg |
| vitamin C (3a312) | 350 mg |
| Trace elements: | |
| zinc chelate of amino acids hydrate | 120 mg |
| ferrous sulphate monohydrate | 80 mg |
| manganous oxide | 42 mg |
| cupric chelate of amino acids hydrate | 17.5 mg |
| potassium iodide | 0.7 mg |
| organic form of Selenium produced by <i>Saccharomyces cerevisiae</i> CNCMI-3060 (selenised yeast inactivated) | 0.2 mg |
| Metabolizable energy: | 3 820 kcal/kg – 15,99 MJ/kg |



2 kg

12 kg



Granule size 1:1

Feeding table

| Dog weight (kg) | 5 | 10 | 15 | 20 | 25 | 30 | 40 | 50 | 60 | 70 | 80 | 90 |
|------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Daily amount (g) | 75 | 120 | 170 | 210 | 250 | 280 | 350 | 410 | 480 | 540 | 590 | 650 |



DOG HEPATIC

Complete canine dietetic food

- rice / salmon based reduced protein and reduced sodium diet
- enriched with hydrolysed protein and dried eggs
- high content of vitamins, FOS, MOS, zinc, L-carnitine and silymarin for the support of hepatic function

Intended use

- support of liver function in case of chronic liver insufficiency

Indications

- hepatic insufficiency and hepatic failure
 - hepatitis and hepatopathies
 - hepatic encephalopathy
 - portosystemic shunt
 - convalescence after intoxications

Contraindications

- pregnancy and lactation
 - pancreatitis, past history of pancreatitis
 - post surgical convalescence

Composition

rice (59%), salmon (10%), chicken fat, dried apples, salmon oil, hydrolysed protein (3%, mass \leq 5,000 Da), dried eggs (2%), hydrolysed chicken liver, brewer's yeast, milk thistle seeds (2,000 mg/kg), mannan-oligosaccharides (200 mg/kg), fructooligosaccharides (180 mg/kg), yucca schidigera extract (120 mg/kg)



- positive improvement of clinical status by 85% of patients in the study
- improvement of the food intake, activity and condition by 11 out of 12 patients

DOG HEPATIC

Complete canine dietetic food

Analytical constituents:

| | |
|-----------------------|----------|
| crude protein | 16 % |
| fat content | 16 % |
| crude fibers | 3 % |
| crude ash | 4 % |
| total sugars (as NFE) | 51 % |
| omega 3 | 0,66 % |
| omega 6 | 2,3 % |
| calcium | 0,65 % |
| phosphorus | 0,6 % |
| magnesium | 0,11 % |
| sodium | 0,1 % |
| copper | 0,0011 % |

Additives per 1 kg

| | |
|--|----------------------------|
| Vitamins: | |
| vitamin A | 22 000 I.U. |
| vitamin D ₃ | 1 000 I.U. |
| vitamin E (α-tocopherol) (3a700) | 1 000 mg |
| Trace elements: | |
| zinc chelate of amino acids hydrate | 36 mg |
| zinc oxide | 164 mg |
| ferrous sulphate monohydrate | 60 mg |
| manganous oxide | 55 mg |
| potassium iodide | 4 mg |
| organic form of Selenium produced by Saccaromyces cerevisiae CNCM I-3060 (selenised yeast inactivated) | 0,3 mg |
| Amino acids: | |
| L-carnitine | 300 mg |
| Metabolizable energy: | 3,900 kcal/kg – 16,33MJ/kg |



2 kg

12 kg



Granule size 1:1

Feeding table

| Dog weight (kg) | 5 | 10 | 15 | 20 | 25 | 30 | 40 | 50 | 60 | 70 | 80 | 90 |
|------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Daily amount (g) | 90 | 150 | 200 | 250 | 300 | 340 | 420 | 500 | 570 | 640 | 710 | 775 |



DOG STRUVITE / OXALATE MANAGEMENT

Complete canine dietetic food

- rice / chicken based diet with balanced protein and mineral content
- pH and RSS control
- special supporting herbal blend

Intended use

- dissolution of struvite stones
- reduction of struvite stones recurrence
- reduction of oxalate stones formation

Indications

- dissolution of struvite stones
- reduction of struvite stones recurrence
- reduction of oxalate stones formation
- cystitis, lower urinary tract disorders

Contraindications

- renal insufficiency
- heart insufficiency
- growth, pregnancy
- pancreatitis, past history of pancreatitis
- routine use of urine acidifiers without regular urine pH control
- lower urinary tract disorders - surgical indications (recurrent patients)

Composition

rice (50%), chicken (17%), chicken fat, dried apples, salmon oil, potato protein, sodium chloride, hydrolysed chicken liver, brewer's yeast, calcium sulphate (0.2%, urine acidifying substance), herbal blend of Vaccinium vitis-idaea, Urtica dioica, Carlina acaulis (2,000 mg/kg), mannan-oligosaccharides (150 mg/kg), fructo-oligosaccharides (100 mg/kg), yucca schidigera extract (100 mg/kg)



- clinically proven pH control and improvement of condition of the lower urinary tract
- RSS for struvite <1

DOG STRUVITE / OXALATE MANAGEMENT

Complete canine dietetic food

Analytical constituents:

| | |
|----------------|-------------|
| crude protein | 20% |
| fat content | 16% |
| crude fiber | 3% |
| crude ash | 6% |
| omega 3 | 0,5% |
| omega 6 | 2,23% |
| calcium | 0,7% |
| phosphorus | 0,5% |
| sodium | 1,1% |
| magnesium | 0,06% |
| potassium | 0,25% |
| chlorides | 1,5% |
| sulphur | 0,3% |
| hydroxyproline | 0,3% |
| vitamin D | 600 I.U./kg |

Additives per 1 kg

| | |
|---|-------------|
| Vitamins: | |
| vitamin A | 20 000 I.U. |
| vitamin D ₃ | 600 I.U. |
| vitamin E (α-tocopherol)(3a700) | 1 000 mg |
| Trace elements: | |
| zinc chelate of amino acids hydrate | 36 mg |
| zinc oxide | 96 mg |
| ferrous sulphate monohydrate | 55 mg |
| manganous oxide | 66 mg |
| cupric chelate of amino acids hydrate | 4 mg |
| potassium iodide | 3,5 mg |
| organic form of Selenium produced by Saccromyces cerevisiae CNCM I-3060 | |
| (selenised yeast inactivated) | 0,2 mg |
| Metabolizable energy: 3,800 kcal/kg – 15,91MJ/kg | |



2 kg

12 kg



Granule size 1:1

Feeding table

| Dog weight (kg) | 5 | 10 | 15 | 20 | 25 | 30 | 40 | 50 | 60 | 70 | 80 | 90 |
|------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Daily amount (g) | 90 | 150 | 205 | 250 | 300 | 340 | 420 | 500 | 570 | 645 | 710 | 780 |



DOG RENAL / CARDIAC

Complete canine dietetic food

- rice / egg low protein, low phosphorus and low natrium diet
- alkalinizing substances (potassium citrate) added
- high content of arginine, taurine, vitamins, Omega 3 fatty acids and energy

Intended use

- support of renal function in case of chronic renal insufficiency
- support of heart function in case of chronic cardiac insufficiency

Indications

- chronic renal insufficiency and failure
- heart insufficiency (early stages)
- hypertension

Contraindications

- growth, pregnancy, lactation
- pancreatitis, past history of pancreatitis

Composition

rice (65%), dried eggs (8%), salmon oil (7%), chicken fat, dried apples, potato protein, hydrolysed chicken liver, brewer's yeast, calcium carbonate (1.5%), potassium citrate (0.7%), herbal & fruit extract (300 mg/kg – rosemary, grapes, turmeric, citrus, cloves), mannan-oligosaccharides (160 mg/kg), fructo-oligosaccharides (130 mg/kg), yucca schidigera extract (100 mg/kg)



Calibra
clinical studies

- high protein quality proven
- high arginine (1,1%)

DOG RENAL / CARDIAC

Complete canine dietetic food

Analytical constituents:

| | |
|---------------|--------|
| crude protein | 15,5 % |
| fat content | 17 % |
| crude fiber | 2,5 % |
| crude ash | 3,8 % |
| omega 3 | 0,8 % |
| omega 6 | 2,53 % |
| calcium | 0,65 % |
| phosphorus | 0,25 % |
| sodium | 0,2 % |
| magnesium | 0,08 % |
| potassium | 0,4 % |
| arginine | 1,1 % |
| taurine | 0,2 % |

Additives per 1 kg

Vitamins:

| | |
|----------------------------------|-------------|
| vitamin A | 20 000 I.U. |
| vitamin D ₃ | 950 I.U. |
| vitamin E (α-tocopherol) (3a700) | 1 000 mg |

Trace elements:

| | |
|--|--------|
| zinc chelate of amino acids hydrate | 36 mg |
| zinc oxide | 96 mg |
| ferrous sulphate monohydrate | 55 mg |
| manganous oxide | 66 mg |
| cupric chelate of amino acids hydrate | 4 mg |
| potassium iodide | 3,5 mg |
| organic form of Selenium produced by <i>Saccharomyces cerevisiae</i> CNCM I-3060 (selenised yeast inactivated) | 0,2 mg |

Amino acids:

| | |
|-------------|----------|
| L-carnitine | 300 mg |
| arginine | 2 800 mg |

Metabolizable energy: 4,050 kcal/kg – 16,96MJ/kg



2 kg

12 kg



Granule size 1:1

Feeding table

| Dog weight (kg) | 5 | 10 | 15 | 20 | 25 | 30 | 40 | 50 | 60 | 70 | 80 | 90 |
|------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Daily amount (g) | 95 | 160 | 220 | 270 | 320 | 365 | 455 | 540 | 615 | 690 | 765 | 835 |



DOG DIABETES / OBESITY

Complete canine dietetic food

- chicken / corn / turkey / barley based recipe with reduced fat and energy content
- reduced starch and sugars
- high vitamins, L-carnitine and Omega 3 fatty acids content

Intended use

- regulation of glucose supply (Diabetes mellitus)
- reduction of excessive body weight

Indications

- Diabetes mellitus
- obesity and weight control
- weight maintenance
- constipation with functional motility of colon

Contraindications

- growth
- pregnancy
- convalescence
- chronic renal insufficiency

Composition

chicken, corn (20%), turkey, barley (10%), dried apples, corn gluten, salmon oil, chicken fat, cellulose fibres, hydrolysed chicken liver, brewer's yeast, sodium chloride, herbal & fruit extract (300 mg/kg – rosemary, grapes, turmeric, citrus, cloves), glucosamine sulphate (290 mg/kg), chondroitin sulphate (190 mg/kg), mannan-oligosaccharides (150 mg/kg), fructo-oligosaccharides (100 mg/kg), yucca schidigera extract (100 mg/kg)



■ clinically proven glycemic control

DOG DIABETES / OBESITY

Complete canine dietetic food

Analytical constituents:

| | |
|---------------|--------|
| crude protein | 35 % |
| fat content | 13 % |
| crude fibers | 7,3 % |
| crude ash | 6,5 % |
| omega 3 | 0,46 % |
| omega 6 | 1,56 % |
| calcium | 1,2 % |
| phosphorus | 0,9 % |
| sodium | 0,25 % |
| magnesium | 0,07 % |
| starch | 19,8 % |
| total sugars | 1,3 % |

Additives per 1 kg

| | |
|----------------------------------|-------------|
| Vitamins: | |
| vitamin A | 17 000 I.U. |
| vitamin D ₃ | 1 000 I.U. |
| vitamin E (α-tocopherol) (3a700) | 1 000 mg |

| | |
|--|---------|
| Trace elements: | |
| zinc chelate of amino acids hydrate | 36 mg |
| zinc oxide | 96 mg |
| ferrous sulphate monohydrate | 39 mg |
| manganous oxide | 54 mg |
| cupric chelate of amino acids hydrate | 4 mg |
| potassium iodide | 3 mg |
| organic form of Selenium produced by <i>Saccromyces cerevisiae</i> CNCM I-3060 (selenised yeast inactivated) | 0,16 mg |

| | |
|--------------|--------|
| Amino acids: | |
| L-carnitine | 500 mg |

Metabolizable energy: 3,370 kcal/kg – 14,11 MJ/kg



2 kg
12 kg



Granule size 1:1



DOG DIABETES / OBESITY

Complete canine dietetic food

DOG DIABETES / OBESITY

Complete canine dietetic food



Feeding table for Diabetes mellitus:

| Dog weight (kg) | Daily amount in grams for dog with lower than ideal weight | Daily amount in grams for dog with normal weight and activity | Daily amount in grams for dog with low activity, neutered, overweight |
|-----------------|--|---|---|
| 2 | 58 | 48 | 38 |
| 4 | 96 | 81 | 64 |
| 6 | 131 | 109 | 87 |
| 8 | 162 | 135 | 108 |
| 10 | 192 | 160 | 127 |
| 12 | 220 | 183 | 147 |
| 14 | 247 | 206 | 165 |
| 16 | 273 | 228 | 182 |
| 18 | 299 | 248 | 198 |
| 20 | 323 | 269 | 215 |
| 22 | 346 | 289 | 231 |
| 24 | 370 | 308 | 246 |
| 26 | 393 | 327 | 262 |
| 28 | 416 | 346 | 277 |
| 30 | 438 | 365 | 291 |
| 32 | 459 | 382 | 306 |
| 34 | 481 | 400 | 320 |
| 36 | 502 | 418 | 334 |
| 38 | 523 | 435 | 348 |
| 40 | 543 | 452 | 362 |
| 42 | 563 | 469 | 375 |
| 44 | 584 | 486 | 388 |
| 46 | 603 | 502 | 401 |
| 48 | 623 | 518 | 415 |
| 50 | 642 | 535 | 427 |
| 52 | 661 | 551 | 441 |
| 54 | 680 | 567 | 453 |
| 56 | 699 | 582 | 466 |
| 58 | 718 | 598 | 478 |
| 60 | 736 | 613 | 490 |
| 62 | 755 | 628 | 503 |
| 64 | 776 | 643 | 515 |
| 66 | 790 | 659 | 527 |
| 68 | 808 | 673 | 539 |
| 70 | 826 | 688 | 550 |

Feeding table for obesity:

| Target weight (kg) | Reduction by 30 %, Daily amount (in grams) | Reduction by 40 %, Daily amount (in grams) | Daily amount for weight maintenance (in grams) |
|--------------------|--|--|--|
| 2 | 33 | 29 | 38 |
| 4 | 56 | 48 | 64 |
| 6 | 76 | 66 | 87 |
| 8 | 95 | 81 | 108 |
| 10 | 112 | 96 | 127 |
| 12 | 128 | 110 | 147 |
| 14 | 144 | 124 | 165 |
| 16 | 159 | 136 | 182 |
| 18 | 174 | 149 | 198 |
| 20 | 188 | 161 | 215 |
| 22 | 202 | 173 | 231 |
| 24 | 216 | 185 | 246 |
| 26 | 229 | 196 | 262 |
| 28 | 242 | 208 | 277 |
| 30 | 255 | 219 | 291 |
| 32 | 268 | 230 | 306 |
| 34 | 280 | 240 | 320 |
| 36 | 292 | 251 | 334 |
| 38 | 305 | 261 | 348 |
| 40 | 317 | 272 | 362 |
| 42 | 328 | 281 | 375 |
| 44 | 340 | 292 | 388 |
| 46 | 352 | 301 | 401 |
| 48 | 363 | 311 | 415 |
| 50 | 374 | 321 | 427 |
| 52 | 385 | 331 | 441 |
| 54 | 397 | 340 | 453 |
| 56 | 408 | 350 | 466 |
| 58 | 418 | 358 | 478 |
| 60 | 430 | 368 | 490 |
| 62 | 440 | 377 | 503 |
| 64 | 451 | 386 | 515 |
| 66 | 461 | 395 | 527 |
| 68 | 472 | 404 | 539 |
| 70 | 482 | 413 | 550 |



DOG GASTROINTESTINAL AND PANCREAS

Complete canine dietetic food

- highly digestible diet based on rice / salmon / hydrolysed protein / dried eggs
- reduced fat, high content of Omega 3 fatty acids
- special treated yeast culture, high content of FOS, MOS and Yucca

Intended use

- reduction of acute intestinal absorptive disorders
- compensation for maldigestion

Indications

- acute and chronic gastritis / gastroenteritis
- colitis
- acute and chronic diarrhea
- IBD
- chronic pancreatitis
- malabsorption, maldigestion, EPI
- dietetic support after the GDV surgery

Contraindications

- hepatic encephalopathy
- chronic renal insufficiency

Composition

rice (44%), salmon (25%), hydrolysed salmon protein (8%), dried eggs (5%), dried apples, chicken fat, salmon oil, hydrolysed chicken liver, brewer's yeast, treated yeast culture (0,5%), herbal & fruit extract (300 mg/kg – rosemary, grapes, turmeric, citrus, cloves), mannan-oligosaccharides (160 mg/kg), fructo-oligosaccharides (130 mg/kg), yucca schidigera extract (100 mg/kg)



- improvement of the stool consistency and food intake by 88% of patients in study during 14 days of using Calibra Gastrointestinal / Pancreas VD

DOG GASTROINTESTINAL AND PANCREAS

Complete canine dietetic food

Analytical constituents:

| | |
|---------------|--------|
| crude protein | 26,0 % |
| fat content | 12 % |
| crude fibers | 1,8 % |
| crude ash | 6,5 % |
| omega 3 | 0,8 % |
| omega 6 | 1,80 % |
| calcium | 1,1 % |
| phosphorus | 0,9 % |
| sodium | 0,3 % |
| magnesium | 0,12 % |
| potassium | 0,52 % |

Additives per 1 kg

Vitamins:

| | |
|----------------------------------|-------------|
| vitamin A | 20 000 I.U. |
| vitamin D ₃ | 950 I.U. |
| vitamin E (α-tocopherol) (3a700) | 1 000 mg |

Trace elements:

| | |
|--|--------|
| zinc chelate of amino acids hydrate | 36 mg |
| zinc oxide | 96 mg |
| ferrous sulphate monohydrate | 55 mg |
| manganous oxide | 66 mg |
| cupric chelate of amino acids hydrate | 4 mg |
| potassium iodide | 3,5 mg |
| organic form of Selenium produced by <i>Saccharomyces cerevisiae</i> CNCM I-3060 (selenised yeast inactivated) | 0,2 mg |

Metabolizable energy: 3,700 kcal/kg - 15,49 MJ/kg



2 kg
12 kg



Granule size 1:1

Feeding table

| Dog weight (kg) | 5 | 10 | 15 | 20 | 25 | 30 | 40 | 50 | 60 | 70 | 80 | 90 |
|------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Daily amount (g) | 75 | 125 | 170 | 210 | 250 | 280 | 350 | 415 | 480 | 535 | 590 | 645 |



DOG HYPOALLERGENIC SKIN AND COAT SUPPORT

Complete canine dietetic food

- selected protein source – salmon and hydrolysed salmon
- selected carbohydrate source – potato starch
- high content of functional additives for the skin support: salmon oil, vitamin E, vitamin A, biotin, organic zinc and selenium

Intended use

- reduction of ingredient and nutrient intolerances
- support of skin function in case of dermatosis and hair loss

Indications

- adverse food reactions (AFR) - dermatological and gastrointestinal symptoms
- atopic dermatitis, otitis externa
- dermatosis (Zn responsive, Vitamin A responsive, other)
- flea allergy dermatitis (FAD)
- support of skin lesions and skin wound healing
- support by hair loss and bad quality of haircoat
- diet suitable for long-time use after the elimination diet

Contraindications

- puppy age
- convalescence/weight gain

Composition

potato starch (51%), salmon (21%), hydrolysed salmon protein (12%), chicken fat (8%), salmon oil (3%), hydrolysed chicken liver, brewer's yeast, herbal & fruit extract (300 mg/kg – rosemary, grapes, turmeric, citrus, cloves), mannan-oligosaccharides (180 mg/kg), fructo-oligosaccharides (120 mg/kg), yucca schidigera extract (120 mg/kg)



Calibra
clinical studies

- total/partial skin symptom reduction by 75% of patients in study when using the diet 6 and more weeks

DOG HYPOALLERGENIC SKIN AND COAT SUPPORT

Complete canine dietetic food

Analytical constituents:

| | |
|---------------|--------|
| crude protein | 24 % |
| fat content | 14 % |
| crude fibers | 3 % |
| crude ash | 7,8 % |
| calcium | 1,1 % |
| phosphorus | 0,8 % |
| sodium | 0,25 % |
| omega 3 | 0,78 % |
| omega 6 | 2,1 % |
| magnesium | 0,1 % |

Additives per 1 kg

Vitamins:

| | |
|----------------------------------|-------------|
| vitamin A | 25 400 I.U. |
| vitamin D ₃ | 1 800 I.U. |
| vitamin E (α-tocopherol) (3a700) | 1 000 mg |

Trace elements:

| | |
|--|---------|
| zinc chelate of amino acids hydrate | 36 mg |
| zinc oxide | 164 mg |
| ferrous sulphate monohydrate | 87 mg |
| manganous oxide | 42 mg |
| cupric chelate of amino acids hydrate | 17,5 mg |
| potassium iodide | 0,78 mg |
| organic form of Selenium produced by <i>Saccharomyces cerevisiae</i> CNCM I-3060 (selenised yeast inactivated) | 0,3 mg |

Metabolizable energy: 3,700 kcal/kg – 15,49 MJ/kg



2 kg
12 kg



Granule size 1:1

Feeding table

| Dog weight (kg) | 5 | 10 | 15 | 20 | 25 | 30 | 40 | 50 | 60 | 70 | 80 | 90 |
|------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Daily amount (g) | 80 | 130 | 170 | 215 | 250 | 290 | 360 | 425 | 490 | 550 | 605 | 660 |



DOG HEPATIC

Complete canned dietetic food

Intended use

Support of liver function in the case of chronic liver insufficiency.

Contraindications

Pancreatitis, hyperlipidaemia, pregnant or lactating bitches, puppies.

Feeding guide

It is recommended that a veterinarian's opinion be sought before use or before extending the period of use. It is necessary to provide regular clinical examinations and the weight control. Recommended daily amount should be divided into smaller portions offered several times during the day. Water should be available at all times.

The period of feeding

Should be decided by veterinarian and should be initially up to 6 months.

Composition

Chicken meat, Rice, Apple, Salmon oil, Milk thistle seeds, Yucca schidigera, FOS, MOS, Calcium carbonate, Sodium chloride.



Analytical constituents:

| | |
|---------------|--------|
| crude protein | 5,5 % |
| crude fat | 7 % |
| crude ash | 2,3 % |
| crude fiber | 0,5 % |
| moisture | 75 % |
| calcium | 0,25 % |
| phosphorus | 0,2 % |
| sodium | 0,15 % |
| sugars as NFE | 6,98 % |
| copper | 0,1 % |
| omega 3 | 0,3 % |
| omega 6 | 1,05 % |

Additives per 1 kg

| | |
|---|----------|
| vit. D3 | 200 I.E. |
| vit. E | 30 mg |
| zinc (zinc chelate of glycine, hydrate) | 27 mg |
| manganese (manganous sulphate, monohydrate) | 3 mg |
| iodine (calcium iodate, anhydrous) | 0,75 mg |
| taurine | 750 mg |
| L-carnitine | 1 000 mg |

Metabolizable energy: 115,00 kcal/100g - 482,00 kJ/100g

Feeding table

| Dog weight (kg) | 2,5–5kg | 7–10kg | 20–30kg | 40–50kg | 60–80kg |
|------------------|--------------|--------------|---------------|----------------|----------------|
| Daily amount (g) | ca. 161–350g | ca. 371–625g | ca. 768–1350g | ca. 1320–1930g | ca. 1900–2970g |

DOG RENAL

Complete canned dietetic food

Intended use

Support of renal function in case of chronic renal insufficiency.

Contraindications

Not suitable for pregnant and lactating bitches, puppies and by the liver insufficiency accompanied by abnormal biliary secretion.

Feeding guide

It is recommended that a veterinarian's opinion be sought before use or before extending the period of use. Water should be available at all times. Recommended daily amounts shown in the table should be adjusted respecting actual condition. It's necessary to provide regular clinical examinations and the weight control.

The period of feeding

Should be decided by veterinarian and should be initially up to 6 months.

Composition

Poultry meat, Rice, Egg powder, Salmon oil, Yucca schidigera, FOS, MOS, Calcium carbonate.



Analytical constituents:

| | |
|---------------|--------|
| crude protein | 6,8 % |
| crude fat | 10,8 % |
| crude ash | 1,9 % |
| crude fiber | 0,5 % |
| moisture | 70 % |
| calcium | 0,2 % |
| phosphorus | 0,14 % |
| sodium | 0,15 % |
| potassium | 0,32 % |
| magnesium | 0,02 % |
| omega 3 | 0,5 % |
| omega 6 | 2,4 % |

Additives per 1 kg

| | |
|---|------------|
| vit. A | 6 000 I.E. |
| vit. D3 | 500 I.E. |
| vit. E | 300 mg |
| vit. C | 40 mg |
| zinc (zinc chelate of glycine, hydrate) | 15 mg |
| manganese (manganous sulphate, monohydrate) | 3 mg |
| iodine (calcium iodate, anhydrous) | 0,75 mg |
| taurine | 750 mg |

Metabolizable energy: 163,00 kcal/100g - 682,00 kJ/100g

Feeding table

| Dog weight (kg) | 2,5–5kg | 7–10kg | 20–30kg | 40–50kg | 60–80kg |
|------------------|--------------|--------------|--------------|----------------|----------------|
| Daily amount (g) | ca. 130–260g | ca. 290–420g | ca. 580–990g | ca. 1000–1400g | ca. 1450–2200g |



DOG GASTROINTESTINAL

Complete canned dietetic food

Intended use

Reduction of acute intestinal absorptive disorders.

Compensation for maldigestion.

Feeding guide

It is recommended that a veterinarian's opinion be sought before use. Use during periods of and recovery from acute diarrhoea. Recommended daily amount should be divided into smaller portions during the day. Make sure, that Your pet always has access to adequate supply of fresh drinking water. Recommended daily amounts shown in the table should be adjusted to the age, condition and activity of animal.

The period of feeding

should be decided by veterinarian. Acute intestinal disorders: from 1 to 2 weeks, maldigestion: 3 to 12 weeks, but lifetime in case of chronic pancreatic insufficiency.

Composition

Turkey meat, Fish meat (Salmon, Herring, Tuna), Natural rice, Apple, Yeast, Salmon oil, Medicinal clay, Yucca schidigera, FOS, MOS, Calcium carbonate, Sodium chloride.

Feeding table

| Dog weight (kg) | 2,5–5kg | 7,5–10kg | 20–30kg | 40–50kg | 60–80kg |
|------------------|--------------|--------------|---------------|----------------|----------------|
| Daily amount (g) | ca. 200–400g | ca. 500–700g | ca. 900–1430g | ca. 1540–2000g | ca. 2080–3100g |



| Analytical constituents: | |
|--------------------------|--------|
| crude protein | 7,6 % |
| crude fat | 3,9 % |
| crude ash | 2,5 % |
| crude fiber | 0,6 % |
| moisture | 76 % |
| sodium | 0,14 % |
| calcium | 0,27 % |
| potassium | 0,27 % |
| omega 3 | 0,1 % |

| Additives per 1 kg | |
|---|------------|
| vit. A | 5 000 I.E. |
| vit. D3 | 500 I.E. |
| vit. E | 100 mg |
| zinc (zinc chelate of glycine, hydrate) | 15 mg |
| manganese (manganous sulphate, monohydrate) | 3 mg |
| iodine (calcium iodate, anhydrous) | 0,75 mg |
| Metabolizable energy: 112,00 kcal/100g – 469,00 kJ/100g | |

| Technological additives per kg | |
|--------------------------------|----------|
| lecithin | 1 200 mg |
| sepiolite | 700 mg |

DOG / CAT RECOVERY

Complete canned dietetic food

Intended use

Nutritional restoration, convalescence.

Feline hepatic lipidosis.

Contraindications

Renal insufficiency, Pancreatitis.

Feeding guide


In case of tube feeding, administration under veterinary supervision is necessary. Recommended daily amounts are shown in the table, daily amount should be adjusted to the current condition of animal.

The period of feeding

Until restoration is achieved.

Composition

Fish meat (Salmon, Herring), Chicken meat, Salmon oil, Marine oil, FOS, MOS, Minerals.



| Analytical constituents: | |
|--------------------------|--------|
| crude protein | 10,5 % |
| crude fat | 9,5 % |
| crude ash | 2,2 % |
| crude fiber | 1,3 % |
| moisture | 75 % |
| calcium | 0,25 % |
| phosphorus | 0,2 % |
| magnesium | 0,03 % |
| omega 3 | 0,6 % |
| omega 6 | 1,2 % |

| Additives per 1 kg | |
|---|----------|
| vit. D3 | 360 I.E. |
| vit. E | 54 mg |
| vit. C | 72 mg |
| zinc (zinc chelate of glycine, hydrate) | 27 mg |
| manganese (manganous sulphate, monohydrate) | 5,4 mg |
| iodine (calcium iodate, anhydrous) | 13,5 mg |
| L-carnitine | 1 000 mg |
| biotin | 525 mg |
| taurine | 2 000 mg |
| Metabolizable energy: 133,00 kcal/100g – 557,00 kJ/100g | |

Feeding table cat

| Cat weight (kg) | 2–3kg | 4–5kg | 6–7kg | 8–9kg |
|------------------|--------------|--------------|--------------|--------------|
| Daily amount (g) | ca. 100–166g | ca. 151–234g | ca. 198–293g | ca. 240–350g |

Feeding table dog

| Dog weight (kg) | 2,5–5kg | 7,5–10kg | 20–30kg | 40–50kg | 60–80kg |
|------------------|--------------|--------------|---------------|----------------|----------------|
| Daily amount (g) | ca. 160–340g | ca. 352–591g | ca. 727–1340g | ca. 1222–1827g | ca. 1657–2800g |



CAT HYPOALLERGENIC SKIN AND COAT SUPPORT

Complete feline dietetic food

- salmon & hydrolysed salmon & rice starch formula
- rich in skin supporting additives – vitamin A, vitamin E, biotin, zinc and selenium
- algae - unique reliable & sustainable source of high quality Omega 3's

Intended use

- Reduction of ingredient and nutrient intolerances
- Support of skin function in case of dermatosis and excessive loss of hair

Indications

- adverse food reactions (AFR) - dermatological and gastrointestinal symptoms
- atopic dermatitis, otitis externa
- dermatosis (Zn responsive, Vitamin A responsive, other)
- flea allergy dermatitis (FAD)
- support of skin lesions and skin wound healing
- support by hair loss and bad quality of haircoat
- diet suitable for long-time use after the elimination diet

Contraindications

- Renal insufficiency

Composition

salmon (40 %), rice starch (30 %), hydrolysed salmon protein (10 %), chicken fat, linseed, salmon oil (3 %), hydrolysed chicken liver, dried apples, algae (*Schizochytrium limacinum*), treated yeast culture (0,5 %), mannan-oligosaccharides (150 mg/kg), fructo-oligosaccharides (100 mg/kg), *yucca schidigera* extract (100 mg/kg)

CAT HYPOALLERGENIC SKIN AND COAT SUPPORT

Complete feline dietetic food

Analytical constituents:

| | |
|---------------|--------|
| crude protein | 28 % |
| fat content | 17 % |
| crude fibers | 2 % |
| crude ash | 7.8 % |
| omega 3 | 3.2 % |
| omega 6 | 2.4 % |
| calcium | 1.3 % |
| phosphorus | 1.1 % |
| sodium | 0.9 % |
| magnesium | 0.15 % |
| EPA | 0.3 % |
| DHA | 0.5 % |



1,5 kg
5 kg



Granule size 1:1

Additives per 1 kg

| | |
|-------------------------------------|-----------------------------|
| Vitamins: | |
| vitamin A | 24 000 I.U. |
| vitamin D3 | 850 I.U. |
| vitamin E (α-tocopherol) (3a700) | 600 mg |
| biotin (3a880) | 2.5 mg |
| Trace elements: | |
| zinc chelate of amino acids hydrate | 150 mg |
| ferrous sulphate monohydrate | 50 mg |
| manganous oxide | 60 mg |
| Metabolizable energy: | |
| | 3 850 kcal/kg – 16,12 MJ/kg |

Feeding table

| Cat weight (kg) | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|----|----|----|----|----|----|----|-----|-----|
| Daily amount (g) | 40 | 50 | 65 | 75 | 80 | 85 | 90 | 110 | 125 |

CAT STRUVITE / OXALATE MANAGEMENT



Complete feline dietetic food

- rice / chicken recipe with balanced protein and mineral content
- pH and RSS control
- special supporting herbal blend

Intended use

- dissolution of struvite stones
- reduction of struvite stones recurrence
- reduction of oxalate stones formation

Indications

- dissolution of struvite stones
- reduction of struvite stones recurrence
- reduction of oxalate stones formation
- lower urinary tract disorders (non recurrent, non-surgical patients)

Contraindications

- renal insufficiency
- heart insufficiency
- growth, pregnancy
- pancreatitis
- routine use of urine acidifiers without regular urine pH control
- lower urinary tract disorders - surgical indications (recurrent patients)

Composition

rice (38%), chicken (27%), potato protein, chicken fat, dried apples, salmon oil, sodium chloride, brewer's yeast, hydrolysed chicken liver, treated yeast culture, calcium sulphate (0.5%, urine acidifying substance), herbal blend of *Vaccinium vitis-idaea*, *Urtica dioica*, *Carlina acaulis* (2000 mg/kg), mannan-oligosaccharides (150 mg/kg), fructo-oligosaccharides (100 mg/kg), yucca schidigera extract (100 mg/kg)



Calibra
clinical studies

- clinically proven pH control (mean value 6,2)
- clinically proven effectiveness for therapy of struvite urolithiasis and prophylaxis of oxalate urolithiasis (RSS for struvite <1)


CAT STRUVITE / OXALATE MANAGEMENT

Complete feline dietetic food



Analytical constituents:

| | |
|----------------|-------------|
| crude protein | 32% |
| fat content | 15% |
| crude fiber | 3% |
| crude ash | 7,8% |
| omega 3 | 0,49% |
| omega 6 | 2,05% |
| calcium | 0,75% |
| phosphorus | 0,6% |
| sodium | 1,1% |
| magnesium | 0,06% |
| potassium | 0,35% |
| chlorides | 1,5% |
| sulphur | 0,5% |
| hydroxyproline | 0,4% |
| taurine | 0,2% |
| vitamin D | 500 I.U./kg |



1,5 kg
5 kg



Granule size 1:1

Additives per 1 kg

| | |
|--|-------------|
| Vitamins: | |
| vitamin A | 24 000 I.U. |
| vitamin D ₃ | 500 I.U. |
| vitamin E (α-tocopherol) (3a700) | 1 000 mg |
| Trace elements: | |
| zinc chelate of amino acids hydrate | 24 mg |
| zinc oxide | 76 mg |
| ferrous sulphate monohydrate | 50 mg |
| manganous oxide | 50 mg |
| Metabolizable energy: 3,820 kcal/kg - 15,99MJ/kg | |

Feeding table

| Cat weight (kg) | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|----|----|----|----|----|----|-----|-----|-----|
| Daily amount (g) | 30 | 45 | 60 | 70 | 80 | 90 | 100 | 110 | 120 |



CAT RENAL / CARDIAC

Complete feline dietetic food

- rice / egg low protein, low phosphorus and low natrium diet
- alkalinizing substances (potassium citrate) added
- high content of arginine, taurine, vitamins, Omega 3 fatty acids and energy

Intended use

- support of renal function in case of chronic renal insufficiency
- support of heart function in case of chronic cardiac insufficiency

Indications

- chronic renal insufficiency and failure
- heart insufficiency (early stages)
- hypertension

Contraindications

- growth, pregnancy, lactation
- pancreatitis

Composition

rice (46%), dried eggs (15%), potato protein, salmon oil (7%), dried apples, chicken fat, brewer's yeast, hydrolysed chicken liver, calcium carbonate (1.7%), potassium citrate (0.7%), treated yeast culture, herbal & fruit extract (300 mg/kg – rosemary, grapes, turmeric, citrus, cloves), mannan-oligosaccharides (160 mg/kg), fructo-oligosaccharides (130 mg/kg), yucca schidigera extract (100 mg/kg)



- high protein quality proven
- high arginine (1,6%)

CAT RENAL / CARDIAC

Complete feline dietetic food



Analytical constituents:

| | |
|---------------|--------|
| crude protein | 24 % |
| fat content | 18 % |
| crude fiber | 2,2 % |
| crude ash | 5,2 % |
| omega 3 | 0,84 % |
| omega 6 | 2,74 % |
| calcium | 0,7 % |
| phosphorus | 0,4 % |
| sodium | 0,35 % |
| magnesium | 0,07 % |
| potassium | 0,4 % |
| arginine | 1,6 % |
| taurine | 0,2 % |

Additives per 1 kg

| | |
|----------------------------------|-------------|
| Vitamins: | |
| vitamin A | 24 000 I.U. |
| vitamin D ₃ | 800 I.U. |
| vitamin E (α-tocopherol) (3a700) | 1 000 mg |

| | |
|---|--------|
| Trace elements: | |
| zinc chelate of amino acids hydrate | 24 mg |
| zinc oxide | 76 mg |
| ferrous sulphate monohydrate | 50 mg |
| manganous oxide | 50 mg |
| cupric chelate of amino acids hydrate | 3 mg |
| potassium iodide | 3,5 mg |
| organic form of Selenium produced by Saccaromyces cerevisiae CNCMI-3060 (selenised yeast inactivated) | 0,2 mg |

| | |
|--------------|----------|
| Amino acids: | |
| L-carnitine | 200 mg |
| arginine | 2 600 mg |

Metabolizable energy: 3,960 kcal/kg – 16,58MJ/kg



1,5 kg
5 kg



Granule size 1:1

Feeding table

| Cat weight (kg) | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|----|----|----|----|----|----|-----|-----|-----|
| Daily amount (g) | 35 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 |



CAT DIABETES / OBESITY

Complete feline dietetic food

- chicken / corn / potato protein / barley based recipe with reduced energy content
- very low content of starch and sugars
- high in vitamins, L-carnitine and Omega 3 fatty acids

Intended use

- regulation of glucose supply (Diabetes mellitus)
- reduction of excessive body weight

Indications

- Diabetes mellitus
- obesity and weight control
- weight maintenance
- constipation with functional motility of colon

Contraindications

- growth
- pregnancy
- convalescence
- chronic renal insufficiency

Composition

chicken, corn (18%), potato protein, barley (7%), turkey, salmon oil, cellulose fibres, chicken fat, dried apples, brewer's yeast, hydrolyzed chicken liver, sodium chloride, glucosamine sulphate (290 mg/kg), chondroitin sulphate (190 mg/kg), mannan-oligosaccharides (150 mg/kg), fructo-oligosaccharides (100 mg/kg), yucca schidigera extract (100 mg/kg)



■ clinically proven (cross over study) glycemic and insulin control

CAT DIABETES / OBESITY

Complete feline dietetic food

Analytical constituents:

| | |
|---------------|--------|
| crude protein | 44 % |
| fat content | 14 % |
| crude fibers | 6,5 % |
| crude ash | 7,5 % |
| omega 3 | 0,47 % |
| omega 6 | 1,67 % |
| calcium | 1,4 % |
| phosphorus | 1,1 % |
| sodium | 0,3 % |
| magnesium | 0,08 % |
| starch | 17 % |
| total sugars | 0,9 % |

Feeding table for Diabetes mellitus:

| Dog weight (kg) | Daily amount in grams for cat with lower than ideal weight | Daily amount in grams for cat with normal weight and activity | Daily amount in grams for cat with low activity, neutered, overweight |
|--------------------|--|---|---|
| 3 | 73 | 61 | 49 |
| 3,5 | 81 | 67 | 51 |
| 4 | 89 | 74 | 59 |
| 4,5 | 96 | 80 | 64 |
| 5 | 103 | 86 | 69 |
| 5,5 | 110 | 91 | 73 |
| 6 | 117 | 97 | 78 |

Feeding table for obesity:

| Target weight (kg) | Reduction by 30 %, Daily amount (in grams) | Reduction by 40 %, Daily amount (in grams) | Daily amount for weight maintenance (in grams) |
|-----------------------|--|--|--|
| 3 | 41 | 35 | 49 |
| 3,5 | 44 | 38 | 51 |
| 4 | 46 | 40 | 59 |
| 4,5 | 51 | 41 | 64 |
| 5 | 51 | 43 | 69 |
| 5,5 | 53 | 45 | 73 |
| 6 | 55 | 47 | 78 |


Additives per 1 kg

| | |
|----------------------------------|-------------|
| Vitamins: | |
| vitamin A | 24 000 I.U. |
| vitamin D ₃ | 800 I.U. |
| vitamin E (α-tocopherol) (3a700) | 1 000 mg |

| | |
|--|--------|
| Trace elements: | |
| zinc chelate of amino acids hydrate | 24 mg |
| zinc oxide | 66 mg |
| ferrous sulphate monohydrate | 50 mg |
| manganous oxide | 30 mg |
| cupric chelate of amino acids hydrate | 2 mg |
| potassium iodide | 2,5 mg |
| organic form of Selenium produced by <i>Saccharomyces cerevisiae</i> CNCM I-3060 (selenised yeast inactivated) | 0,2 mg |

| | |
|--------------|--------|
| Amino acids: | |
| L-carnitine | 500 mg |

Metabolizable energy: 3,610 kcal/kg – 15,1 MJ/kg



1,5 kg
5 kg



CAT GASTROINTESTINAL AND PANCREAS

Complete feline dietetic food



- high digestible diet based on rice / salmon / hydrolysed protein / dried eggs
- reduced fat, high in Omega 3 fatty acids
- special treated yeast culture, high content of FOS, MOS and Yucca

Intended use

- reduction of acute intestinal absorptive disorders
- compensation for maldigestion

Indications

- acute and chronic gastritis / gastroenteritis
- acute and chronic diarrhea
- colitis
- IBD
- chronic pancreatitis, triaditis
- malabsorption, maldigestion, EPI
- adverse food reactions

Contraindications

- hepatic encephalopathy
- chronic renal insufficiency

Composition

rice (38%), salmon (30%), hydrolysed salmon protein (8%), dried eggs (8%), dried apples, salmon oil, chicken fat, brewer's yeast, hydrolysed chicken liver, treated yeast culture (0,5%), herbal & fruit extract (300 mg/kg – rosemary, grapes, turmeric, citrus, cloves), mannan-oligosaccharides (160 mg/kg), fructo-oligosaccharides (130 mg/kg), yucca schidigera extract (100 mg/kg)



■ clinically proven high digestibility, palatability and improvement of the stool consistency

CAT GASTROINTESTINAL AND PANCREAS

Complete feline dietetic food



Analytical constituents:

| | |
|---------------|--------|
| crude protein | 32 % |
| fat content | 12 % |
| crude fibers | 2,5 % |
| crude ash | 8 % |
| omega 3 | 0,9 % |
| omega 6 | 1,78 % |
| calcium | 1,4 % |
| phosphorus | 1,1 % |
| sodium | 0,5 % |
| magnesium | 0,14 % |
| potassium | 0,5 % |

Additives per 1 kg


Vitamins:

| | |
|----------------------------------|-------------|
| vitamin A | 24 000 I.U. |
| vitamin D ₃ | 800 I.U. |
| vitamin E (α-tocopherol) (3a700) | 1 000 mg |

Trace elements:

| | |
|---|--------|
| zinc chelate of amino acids hydrate | 24 mg |
| zinc oxide | 76 mg |
| ferrous sulphate monohydrate | 50 mg |
| manganous oxide | 50 mg |
| cupric chelate of amino acids hydrate | 3 mg |
| potassium iodide | 3,5 mg |
| organic form of Selenium produced by Saccromyces cerevisiae CNCM I-3060 (selenised yeast inactivated) | 0,2 mg |

Metabolizable energy: 3,600 kcal/kg – 15,07MJ/kg



1,5 kg

5 kg



Granule size 1:1

Feeding table

| Cat weight (kg) | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|----|----|----|----|----|-----|-----|-----|-----|
| Daily amount (g) | 40 | 50 | 65 | 75 | 85 | 100 | 105 | 115 | 125 |

CAT STRUVITE MANAGEMENT

Complete canned dietetic food



Intended use

Dissolution of struvite stones.

Reduction of struvite stones recurrence.

Contraindications

Not suitable for pregnant or lactating cats, kittens, in the case of chronic renal insufficiency, metabolic acidosis, cardiac insufficiency, high blood pressure, by the treatment with urine acidifying medication without regular urine pH control, for sensitive stomach.

Feeding guide

It is recommended that a veterinarian's opinion be sought before use or before extending the period of use. Water should be available at all times. Recommended daily amounts are shown in the table, daily amount should be adjusted to the age, condition and activity of animal.

The period of feeding

For the dissolution of struvite stones: 5 to 12 weeks, for the reduction of the struvite stones recurrence up to 6 months.

Composition

Poultry meat, Rice, Calcium carbonate, Sodium chloride, Cranberries, Salmon oil, Green lipped mussel extract.

Feeding table

| Cat weight (kg) | 2-3kg | 4-5kg | 6-7kg | 8-9kg |
|------------------|--------------|--------------|--------------|--------------|
| Daily amount (g) | ca. 100-200g | ca. 181-280g | ca. 237-351g | ca. 288-410g |



Analytical constituents:

| | |
|---------------|--------|
| crude protein | 7,5 % |
| crude fat | 6 % |
| crude ash | 1,5 % |
| crude fiber | 0,3 % |
| moisture | 78 % |
| calcium | 0,17 % |
| phosphorus | 0,16 % |
| sodium | 0,22 % |
| potassium | 0,23 % |
| magnesium | 0,01 % |
| chlorides | 0,4 % |
| sulphur | 0,08 % |
| omega 3 | 0,2 % |

Additives per 1 kg

| | |
|---|------------|
| vit. A | 5 000 I.E. |
| vit. D3 | 200 I.E. |
| vit. E | 100 mg |
| zinc (zinc chelate of glycine, hydrate) | 15 mg |
| manganese (manganous sulphate, monohydrate) | 3 mg |
| iodine (calcium iodate, anhydrous) | 0,75 mg |
| DL - methionine | 1 500 mg |
| taurine | 600 mg |

Metabolizable energy: 128,00 kcal/100g – 536,00 kJ/100g

Technological additives / kg

| | |
|----------|------------|
| lecithin | 1 200 I.E. |
|----------|------------|

CAT RENAL

Complete canned dietetic food



Intended use

Support of renal function in case of chronic renal insufficiency.

Contraindications

Not suitable for pregnant and lactating cats, kittens and by the liver insufficiency accompanied by abnormal biliary secretion.

Feeding guide

It is recommended that a veterinarian's opinion be sought before use or before extending the period of use. Water should be available at all times. Recommended daily amounts shown in the table should be adjusted respecting actual condition. It's necessary to provide regular clinical examinations and the weight control.

The period of feeding

Should be decided by veterinarian and should be initially up to 6 months.

Composition

Poultry meat, Rice, Egg powder, Salmon oil, Yucca schidigera, FOS, MOS, Calcium carbonate.



Analytical constituents:

| | |
|---------------|--------|
| crude protein | 7 % |
| crude fat | 10,8 % |
| crude ash | 1,9 % |
| crude fiber | 0,31 % |
| moisture | 70 % |
| calcium | 0,2 % |
| phosphorus | 0,14 % |
| sodium | 0,16 % |
| potassium | 0,32 % |
| magnesium | 0,02 % |
| omega 3 | 0,5 % |
| omega 6 | 2,4 % |

Additives per 1 kg

| | |
|---|------------|
| vit. A | 6 000 I.E. |
| vit. D3 | 500 I.E. |
| vit. E | 200 mg |
| vit. C | 40 mg |
| zinc (zinc chelate of glycine, hydrate) | 15 mg |
| manganese (manganous sulphate, monohydrate) | 3 mg |
| iodine (calcium iodate, anhydrous) | 0,75 mg |
| taurine | 750 mg |

Feeding table

| Cat weight (kg) | 2-3kg | 4-5kg | 6-7kg | 8-9kg |
|------------------|--------------|--------------|--------------|--------------|
| Daily amount (g) | ca. 100-135g | ca. 123-190g | ca. 161-239g | ca. 196-290g |



CAT GASTROINTESTINAL

Complete canned dietetic food

Intended use

Reduction of acute intestinal absorptive disorders.

Compensation for maldigestion.

Feeding guide

It is recommended that a veterinarian's opinion be sought before use. Use during periods of and recovery from acute diarrhoea. Recommended daily amount should be divided into smaller portions during the day. Make sure, that Your pet always has access to adequate supply of fresh drinking water. Recommended daily amounts shown in the table should be adjusted to the age, condition and activity of animal.

The period of feeding

Should be decided by veterinarian. Acute intestinal disorders: from 1 to 2 weeks, maldigestion: 3 to 12 weeks, but lifetime in case of chronic pancreatic insufficiency.

Composition

Turkey meat, Fish meat (Salmon, Tuna), Natural rice, Apple, Yeast, Salmon oil, Medicinal clay, Yucca schidigera, FOS, MOS, Calcium carbonate, Sodium chloride.



Analytical constituents:

| | |
|---------------|--------|
| crude protein | 9,3 % |
| crude fat | 4,1 % |
| crude ash | 2,5 % |
| crude fiber | 0,6 % |
| moisture | 80 % |
| sodium | 0,14 % |
| calcium | 0,34 % |
| potassium | 0,27 % |
| omega 3 | 0,1 % |

Additives per 1 kg

| | |
|---|------------|
| vit. A | 5 000 I.E. |
| vit. D3 | 300 I.E. |
| vit. E | 90 mg |
| zinc (zinc chelate of glycine, hydrate) | 15 mg |
| manganese (manganous sulphate, monohydrate) | 3 mg |
| iodine (calcium iodate, anhydrous) | 0,75 mg |
| taurine | 1 000 mg |

Metabolizable energy: 108,00 kcal/100g – 452,00 kJ/100g

Feeding table

| Cat weight (kg) | 2-3kg | 4-5kg | 6-7kg | 8-9kg |
|------------------|--------------|--------------|--------------|--------------|
| Daily amount (g) | ca. 184–245g | ca. 223–345g | ca. 292–432g | ca. 354–500g |

Technological additives per kg

| | |
|-----------|----------|
| lecithin | 1 200 mg |
| sepiolite | 700 mg |

DOG / CAT RECOVERY

Complete canned dietetic food



Intended use

Nutritional restoration, convalescence.

Feline hepatic lipidosis.

Contraindications

Renal insufficiency, Pancreatitis.

Feeding guide

In case of tube feeding, administration under veterinary supervision is necessary. Recommended daily amounts are shown in the table, daily amount should be adjusted to the current condition of animal.

The period of feeding

Until restoration is achieved.

Composition

Fish meat (Salmon, Herring), Chicken meat, Salmon oil, Marine oil, FOS, MOS, Minerals.



Analytical constituents:

| | |
|---------------|--------|
| crude protein | 10,5 % |
| crude fat | 9,5 % |
| crude ash | 2,2 % |
| crude fiber | 1,3 % |
| moisture | 75 % |
| calcium | 0,25 % |
| phosphorus | 0,2 % |
| magnesium | 0,03 % |
| omega 3 | 0,6 % |
| omega 6 | 1,2 % |

Additives per 1 kg

| | |
|---|----------|
| vit. D3 | 360 I.E. |
| vit. E | 54 mg |
| vit. C | 72 mg |
| zinc (zinc chelate of glycine, hydrate) | 27 mg |
| manganese (manganous sulphate, monohydrate) | 5,4 mg |
| iodine (calcium iodate, anhydrous) | 13,5 mg |
| L-carnitine | 1 000 mg |
| biotin | 525 mg |
| taurine | 2 000 mg |

Metabolizable energy: 133,00 kcal/100g – 557,00 kJ/100g

Feeding table cat

| Cat weight (kg) | 2-3kg | 4-5kg | 6-7kg | 8-9kg |
|------------------|--------------|--------------|--------------|--------------|
| Daily amount (g) | ca. 100–166g | ca. 151–234g | ca. 198–293g | ca. 240–350g |

Feeding table dog

| Dog weight (kg) | 2,5-5kg | 7,5-10kg | 20-30kg | 40-50kg | 60-80kg |
|------------------|--------------|--------------|---------------|----------------|----------------|
| Daily amount (g) | ca. 160–340g | ca. 352–591g | ca. 727–1340g | ca. 1222–1827g | ca. 1657–2800g |

Complete canine and feline dietetic food



A reliable partner
of veterinarians

www.calibradiets.com